

WORLDWIDE EXPORT

Worldwide export of top-grade HPL Exterior laminates, known for their durability, style, and superior finish. Our HPL Exterior laminates meet international quality standards and are trusted by clients across the globe. With efficient logistics, we ensure timely deliver India (Gujarat, Ahmedabad ) to every corner of the world.



HPL DECOR PRIVATE LIMITED

421, Shivalik Satyamev, Ambli, T Junction, Sardar Patel Ring Rd, Bopal, Ahmedabad, Gujarat 38005, India

info@hpltabletop.com | www.hpltabletop.com

+91 92271 22464 | +91 99259 22664

CERTIFICATIONS :



HPL  
EXTERIOR  
CLADDING  
Building Facades



DEPTH OF  
PERFECTION



HPL  
EXTERIOR  
CLADDING  
Building Facades




# About us

Strength. Style. Secured

Engineered for durability, these panels are resistant to moisture, impact, UV rays, and daily wear, ensuring long-lasting performance in even the most demanding environments. With a wide range of solid colors, woodgrains, and stone-inspired finishes, HPL cladding offers the design flexibility to match any architectural vision. Whether enhancing a modern façade or refining an interior space, HPL panels deliver a sophisticated look with the reliability of high-performance materials.

[www.hpltabletop.com](http://www.hpltabletop.com)



enter your  
world of exterior

Durable, stylish, and easy to maintain, HPL cladding is the ultimate solution for modern façades. It resists weather and wear while providing endless design possibilities. High-pressure laminate panels combine strength with sleek aesthetics. Perfect for transforming building exteriors and interiors alike.





Endless possibilities with high pressure laminates for exterior wall cladding.

HPL cladding delivers vibrant color and texture that lasts. Engineered to resist UV, moisture, and impact for years to come.


[www.hpltabletop.com](http://www.hpltabletop.com)






HOME CLADDING

- | Soffit
- | Prefab Hut
- | Parapet
- | Louvre
- | Highlighter
- | Signage



FACADE CLADDING



EXTERIOR CLADDING



WALL CLADDING

# Applications

## Specifications :



UV Resistant



Flame Resistant



Chemical Resistant



Energy Efficient



Termite Resistant



Environment Freindly



Acoustic Resistant



Anti- Bacterial & Anti- Fungal




Moisture Resistant



Minimum maintainanse

HPL Decor has varied kinds of usage, a few are mentioned below



ROOF CLADDING



BALCONY & FACADE CLADDING

- | Facade Cladding
- | Partition
- | Duct Covering
- | Canopy
- | Pedestrian Shelter
- | Awning



SLIDING GATES



WALL CLADDING



Weather Rasistant



Impact Rasistant



Easy Installation



Heat Rasistant



Easy to Clean



Indoor & Outdoor Use



Water Rasistant



Stability

THICKNESS :  
6MM, 8MM, 10MM

Size :  
1220mm x 2440mm

1220mm x 3050mm  
Available in Customized size




# Wood Series

Capture the charm of real wood with the durability of high-pressure laminate. The HPL Wood Series offers rich textures, timeless tones, and weatherproof performance. Wood-inspired elegance, engineered to last. Our HPL Wood Series delivers authentic grain patterns with zero compromise on strength.

## ELEVATE YOUR EXTERIOR CLADDING

A well-designed cladding system not only enhances a building's aesthetics but also improves insulation, reduces maintenance, and increases energy efficiency.



Real wood aesthetics,  
reimagined for the future.

# WOOD Series



Product  
Used  
S01



**S01**  
Novacento Pine




**516**  
Golden Redwood




**S02**  
Dark Figure

# WOOD Series —




Durable, low-maintenance, and beautifully crafted—this is the HPL Wood Series.




 **08**  
Philly Brown



 **09**  
Falco Walnut




 **554**  
Sesame Wood




 **555**  
Vanilla Oak




 **530**  
Dark Walnut




 **01**  
Dark Teak Wood



 **533**  
Winter Grey Wood




 **534**  
Winter Dark Wood



We provide high-quality, customizable cladding that enhances the aesthetic appeal and performance of any building.

Product Used  
**4062**




**4062**  
Pecan Wood




**8509**  
Tyrol Yellow Pine

# WOOD Series —




Wood Series brings natural beauty to modern architecture—without the maintenance.





 **591**  
Kenyan Walnut




 **23**  
Natural Adler Birch



 **4063**  
Classic Dark Wood



# WOOD Series —



Bring the warmth of wood to any structure—without the upkeep.



**5629**  
Choco Walnut



**8596**  
Montana Walnut Dark



**4206**  
Natural Pine




Product  
Used  
**8596**


# WOOD Series —




Classic woodgrain, redefined  
in high-performance laminate




 **4067**  
Kamet Walnut




 **17**  
Montana Walnut Dark




 **4214**  
Bilinga Wood




 **4070**  
Dark Teak Wood



 **958**  
Ebony Ash Wood



 **5576**  
Picked Dark Oak




 **4058**  
Mahogany

—

## ARCHITECTURAL EXPRESSION

Exterior cladding is more than just a protective layer for buildings—it is a vital element of architectural expression and environmental performance.



# Marble Series

Elevate any space with the refined texture of our HPL Marble Series. Inspired by nature, crafted for durability each panel captures the timeless elegance of marble. Lightweight, weather-resistant, and low-maintenance, it's the perfect blend of luxury and performance. Transform exteriors and interiors with a surface that speaks of sophistication and strength.

Unmatched durability. Unmistakable color.  
Transform your facade with high-performance.

Product  
Used  
8723



## MARBLE Series




**5763**  
Fantasy Grey Marble




**8723**  
Calacatta Statuario


# MARBLE Series —




Natural stone aesthetics, built to last.  
HPL—crafted for luxury, designed for  
resilience.




 **5710**  
Elemental Grey Stone




 **5711**  
Elemental Light Stone





 **5757**  
White Carara




 **719**  
Armani Grey



 **718**  
Athena Aegis



 **8766**  
Pietra Black Marble

# MARBLE Series —

Elevate design with a touch of stone. The Marble Series delivers authentic marble finishes in high-performance HPL.



**8750**  
Oceanic Brown




**5762**  
Fantasy Black Marble

# STONE Series




 **8712**  
Brown Sand




 **720**  
Cement Stone




 **721**  
Elemental Light Stone




 **8713**  
Quartzite Golden

# STONE Series





Sculpted by nature.  
Reinforced by technology.




 **775**  
Madura Pearl



 **742**  
Rust Cottage Brown




 **8707**  
Quartzite Golden




 **4753**  
Sensi Black




 **4751**  
Capetown Silver



 **769**  
Sabbia Stone



 **768**  
Grigio Stone



# Solid Color

— Elevate your space with the clean, modern look of solid color HPL cladding. Durable, vibrant, and built to withstand the elements—style meets performance.



**8174** | Deep Orange




**8166** | Mid Grey



**107** | Linen




**188** | Sand



**131** | White



**134** | Ivory



**133** | Dove Cream



**136** | Grey



**135** | Light Grey



**139** | Slate Grey



**192** | Dark Grey



**191** | Late



112 | Mango Yellow



189 | Vanilla Latte




111 | Classic Orange



150 | Dear Brown




141 | Vodafone Red




190 | Cocoa



154 | Dark Red




S03 | Chocolate



108 | Burgundy

Our Plain Color HPL Exterior Sheets are designed to elevate architectural aesthetics while delivering unmatched performance in exterior cladding solutions.



### Aesthetic Excellence


Pure color. Pure impact. Our HPL cladding delivers bold aesthetics with unmatched durability for every surface.

Product Used 150


Product Used 189




140 | Electric Blue



152 | Pleasant Blue



155 | Dark Navy Blue




193 | Midnight




120 | Black

# TECHNOLOGY THAT STANDS A PART —

TABLA HPL epitomizes beauty and toughness. A special Exterior range with Modern Technology has a UV resistant top UV coating treated to protect the exterior wall from the harmful Ultra-violet rays, which prevents fading and significantly enhances durability. TABLA HPL products come in manufactured under high pressures and temperatures which yields a highly durable and dense TABLA HPL Panels hence, making TABLA External Wall Cladding truly superior and strong for your exteriors.




### Fixing Support Information




MM	Back Side Support Information
2mm	0.5 x 0.5 feet
4mm	1 x 1 feet
6mm	2 x 2 feet
8mm	3 x 3 feet
10mm	4 x 4 feet


### HPL Exterior Grade Compact Laminate



### HPL Interior Grade Compact Laminate



### HPL High Pressure Laminate



## TECHNICAL DATA SHEET



### HPL EXTERIOR COMPACT LAMINATE

S. No.	Properties	Test Method	Unit Of Measurement	Attributes Of Performance	Results (as Per En 438-4)
A	Surface Quality			En-438 Laminate Classification	
B	Surface Quality	EN 438-2.4	mm <sup>2</sup> /m <sup>2</sup> mm/m <sup>2</sup>	Spots, dirt and similar surface defects Fibres, hairs, and scratches	≤ 1 ≤ 10
C	Dimensional Properties Thickness	EN-438-2-5	mm	5.0 ≤ t < 8.0mm: ±0.40 mm	5.0 ≤ t < 8.0mm: ±0.18 mm
D				8 ≤ t < 12mm: ± 0.5 mm	8 ≤ t < 12mm: ± 0.24 mm
				12 ≤ t < 16mm: ±0.6 mm	12 ≤ t < 16mm: ±0.28 mm
				16 ≤ t < 20mm: ± 0.7mm	16 ≤ t < 20mm: ± 0.32mm
				25.0 ≤ t: According to agreement	25.0 ≤ t: According to agreement
				Customer/Producer	Customer/Producer
E	Size	EN 438-2.6	mm	Length and Width +10/-0	+05/-0
F	Straightness of edges.	EN 438-2.7	mm /m	Straightness of edges ≤1.5	≤1
G	Squareness	EN 438-2.8	mm /m	Squareness ≤ 1.5	≤1
H	Flatness (measured on full size sheet)	EN 438-2.9	mm /m	For 1.80 ≤ t < 6.00mm : 8 For 6 ≤ t < 10.00 mm : 5 10 ≤ t : 3	5 3 2
I	Physical Properties Resistance to Surface Wear	EN 438-2.10	Revolutions	Wear Resistance - Initial Point	Unicolours - ≥ 200
J			Revolutions	Wear Resistance - Wear Value	Printed Decor - ≥ 160
			%	Mass increase - T ≥ 5 mm	Unicolors - ≥ 450
			%	Thickness increase - T ≥ 5 mm	Printed Decor - ≥ 410
			Rating	Appearance - Gloss Finish	≤ 1
			Rating	Appearance - Other Finishes	≤ 1.5 ≥ 4 ≥ 5
K	Resistance to Water vapour	EN 438-2.14	Rating Rating	Appearance - Gloss Finish Appearance - Other Finishes	≥ 4 ≥ 5
L	Resistance to Dry Heat @ 180 C	EN 438-2.16	Rating Rating	Appearance - Gloss Finish Appearance - Other Finishes	≥ 4 ≥ 5
M	Dimensional Stability at elevated temperature	EN 438-2.17	longitudinal % Transversal % longitudinal % Transversal %	Cumulative Dimensional Change 2 ≤ T < 5 mm Cumulative Dimensional Change T < 5 mm	≤ 0.40 ≤ 0.80 ≤ 0.30 ≤ 0.60
N	Resistance to impact by large diameter ball	EN 438-2.21	min. min.	Indent dia. 10mm 2 ≤ 6 mm - 1800mm indent dia. 10mm T ≥ 6mm - 1800 mm	6 4
O	Resistance to Craziing	EN 438-2.24	Rating	Appearance	≥ 4
P	Resistance to Scratching	EN 438-2.25	Rating Rating	Appearance -Smooth Finishes Appearance - textured Finishes	≥ 2.5 ≥ 3.5
Q	Resistance to Staining	EN 438-2.26	Rating Rating	Appearance -Group 1 & 2 Appearance - Group 3	≥ 5 ≥ 4
R	Light Fatness	EN 438-2.27	Grey Scale Rating	Contrast	4 to 5
S	Resistance to Cigarette Burns	EN 438-2.30	Rating	Appearance	≥ 3
T	Flexural modulus	EN -ISO - 178 2003	Mpa	Stess ≥ 9000	9000-11500
U	Flexural Strength	EN -ISO - 178 -2003	Mpa	Stess ≥ 80	80-100
V	Tensile Strength	EN -ISO - 572-2 -1996	Mpa	Stess ≥ 60	60-90
W	Density	EN -ISO 1183-1:2004	gm/cm <sup>3</sup>	Density 1.35 - 1.45	1.4 ± 0.05
X	Fire Performances	EN 135 01	Rating	Test as per EN 13823 and EN ISO 11925-2 (Small -Burner Test) Classification - T ≥ 6 mm Classification - 3 ≤ T < 6 mm Classification - 6 ≤ T < 13 mm	D - s2,d0
Y	Fire Reaction Classification				
Z	Other properties Release Of Formaldehyde	EN 438-7.4.11.1	Rating	Clasification	E1



**HPL**  
EXTERIOR  
CLADDING  
Building Facades

6.5"x10"  
Booklet



**HPI**  
**EXTERIOR  
CLADDING**  
Building Facades



178 x 280mm\_ACTUAL  
PRODUCT SAMPLE POCKET



7" X 11" ACTUAL  
PRODUCT SAMPLE POCKET